






























# XCODE SHOTCUTS FOR A KEYBOARD-ONLY WORKFLOW

## Legend:

	Command
	Option (Alt)
	Shift
	Control
	Backward delete
	Forward delete
	Enter
	Space
	Left arrow
	Right arrow
	Up arrow
	Down arrow
	Page up
	Page down

## Navigation:

		J	Jump to another editor		
		`	Jump to next editor		
		J	Jump to definition		
			J	Jump to definition in new editor	
		0	Open quickly		
	1	2	3	Jump between navigators	
	1	2	3	Jump between editor breadcrumbs	
		→	Jump to the next edited file		
		←	Jump to the previous edited file		
			W	Close package	
	0	Toggle navigators			
	F2	Focus menu bar			
	F	Local search			
		F	Global search		
				W	Close the blurred editor

## Previews:

P Resume/Refresh preview  
 Toggle preview

## Build, run and test:





































B Build current target  
 R Run current target  
 U Test current target  
 [ Switch scheme  
 K Clean build folder  
 U Run editing test  
 G Re-run last test

## Debug

Step over  
 Step into  
 Step out  
 Y Continue  
 C Continue to line  
 \ Toggle breakpoint  
 Y Toggle all breakpoints  
 ' Next error/warning  
 ' Previous error/warning  
 C Focus on debug console  
 Y Toggle debug panel

## Editing:

Move to end of line, add to select  
 Move to beginning of line, add to select  
 Delete to beginning of line  
 Delete to end of line  
 Move to end of word, add to select  
 Move to beginning of word, add to select  
 Delete to beginning of word  
 Delete to end of word  
 Move to end of sub-word, add to select  
 Move to beginning of sub-word, add to select  
 Delete to beginning of sub-word

		Delete to end of sub-word	
		Code completion	
		Scroll up	
		Scroll down	
		Scroll up and move the cursor, add  to select	
		Scroll down and move the cursor, add  to select	
		Re-center visible area around cursor	
			Add multi-cursor at next word that matches the selection
			Edit in context
			Move line above
			Move line below
			Multi-cursor on the line below
			Multi-cursor on the line above
			 Format file <sup>1</sup>

<sup>1</sup> Format file is a custom binding. I use it with SwiftFormat.